

INDEX AND EXPLANATION

1. Aquifers in which intergranular flow is significant

- a. Highly productive aquifers (not extensive)
 - p Permian at Thornhill
 - c₂ Upper Old Red Sandstone in Fife
- b. Locally important aquifers
 - q^a Recent: Blown sand
 - d Quaternary sands and gravels
 - c Permian in North West Grampian

2. Aquifers in which flow is dominantly in fissures and other discontinuities

- a. Highly productive aquifers (not extensive)
 - p Permian
 - h₁ Carboniferous: Dinantian and Namurian
 - u₁ Upper Old Red Sandstone
- b. Locally important aquifers
 - trp Triassic and Permian
 - h₂ Carboniferous: Westphalian
 - o₁₊₂ Lower and Middle Old Red Sandstone

3. Concealed aquifers, aquifers of limited potential, regions without significant groundwater

- a. Concealed aquifers; aquifers with limited or local potential
 - q₁ Quaternary: coastal and river alluvium
 - j Jurassic
 - p Permian at Stranraer
 - cb+pr Cambro-Ordovician and Precambrian Limestones
- b. Regions underlain by impermeable rocks, generally without groundwater except at shallow depth
 - tr-o Silurian and Ordovician
 - pr Precambrian
 - v Extrusive rocks
 - u Intrusive rocks

Surface water features

- Paranial river or stream
- Paranial river or stream in which the chloride ion concentration is known to exceed 1000 mg/l under low flow conditions
- Stream gauging station with mean annual runoff in m³/s, over catchment area in km²
- Hydrometric area boundary
- Freshwater loch, reservoir or standing water
- Loch or standing water in which the chloride ion concentration is known to exceed 1000 mg/l

Groundwater features

- Recognised mineral water spring or borehole with less than 1000 mg/l total dissolved solids.
- Spa water spring or well with greater than 1000 mg/l total dissolved solids
- Areas where the chloride ion concentration exceeds 1000 mg/l above -80 m O.D.

Sources of known abstraction (licences are not required):

- a) 10-19 l/s } normal discharge
- b) 20-29 l/s } or pumping yield
- c) > 29 l/s }
- Springs
- Springs used for public supply
- Wells and boreholes
- Sources of public supply
- Artesian boreholes
- Artesian boreholes used for public supply
- River or loch intake for public supply with ≥ 10 Ml/d capacity

Geological symbols

- Geological boundary
- Geological boundary beneath cover
- Fault
- Contours on the surface of the Old Red Sandstone in m relative to O.D.

Legend

- Site Boundary

Notes


1. Extract from BGS Hydrogeological Map of Scotland, 1988 (1:625,000 scale)



4/5 LOCHSIDE VIEW
EDINBURGH PARK
EDINBURGH
EH12 9DH
T: +44 (0)131 335 6830
www.slrconsulting.com

1:250,000 @ A3

© Crown Copyright 2019. All rights reserved.
Ordnance Survey Licence 0100031673.



Clashindarroch II Wind Farm

EIA Report

Regional Hydrogeology

Figure 11.7

Date: November 2019 Prepared By: WR

Ref: CLON_11.7_Regional_Hydrogeology_190822wrr